

# JVC

## AUDIO/VIDEO GENERAL CATALOGUE






# PORTABLE AUDIO


## DIGI-COMPO SYSTEMS



DIGI-COMPO



DIGI-COMPO



DIGI-COMPO

CN-201A Audio Connection Cord for XL-R10XU, etc.

### PC-W350U

#### DIGI-COMPO System

●High-power low-distortion amplifier design including energy efficient BTL (Balanced Transformerless) circuitry ●5-band S.E.A. graphic equalizer (Rec/Play) ●U-Turn auto-reverse with full-logic control in both decks ●Synchro Start double-speed dubbing ●Direct source selection feature gives system priority to latest command ●Relay Play ●Dolby noise reduction ●CD ready with input terminals ●4-band radio (FM, AM, SW- and SW2) ●Fine tuning ●Metal and Chrome tape compatible ●Mixing (Rec/Play) ●ALC with variable monitor ●FM stereo indicator ●3-way power supply ●Full auto stop ●Two pairs speaker terminals allow connection of extra speakers for panoramic effect ●2-way, 4-speaker system: 12cm woofer x 2 and 5cm tweeter x 2 ●Output Power: 300W (150W + 150W) PMPO D: 669(W) x 313(H) x 218(D)mm W: 11.3kg with batteries

### PC-W310U

#### DIGI-COMPO System

●CD player direct-interface system ●Synchro Start double-speed dubbing ●6-band S.E.A. graphic equalizer ●4-band tuner ●2-way, 4-speaker system: 12cm woofer x 2 and 1.5cm tweeter x 2 ●Output Power: 300W (150W + 150W) PMPO D: 671(W) x 312(H) x 228(D)mm W: 10.0kg with batteries

### XL-R10XU Portable Compact Disc Player


●World's lightest super-compact design for versatile in-system or independent use ●Super-accurate pin-point laser pickup and superior vibration resistant characteristics

●15-tune random programming ●Endless play, skip, music search ●Digital display of track, time and programme ●Remaining time display ●High filter ●Battery low indicator ●AC adapter (AA-R10U) ●Output jacks for connection to system without direct-interface slot D: 126.3(W) x 31.9(H) x 126.5 (D) mm W: 440g




The XL-R10XU can be a super portable head-phone stereo when used with the optional RN-R10K carrying case with rechargeable battery.

## PORTABLE COMPONENT SYSTEMS & RADIO CASSETTE RECORDERS




### PC-30U 4-Band (FM/AM/SW1/SW2) Compact Portable Component System

●U-Turn auto-reverse ●5-band S.E.A. graphic equalizer ●Detachable 2-way speakers with 10cm woofers and 1.5cm tweeters ●Soft-touch logic mechanism ●Output Power: 36W (18W + 18W) PMPO D: 556(W) x 182(H) x 188(D)mm W: 5.2kg with batteries



### PC-W35U 4-Band (FM/AM/SW1/SW2) Portable Double-Cassette Component System

●Synchro Start high-speed dubbing ●5-band S.E.A. graphic equalizer ●Detachable 2-way speakers with 10cm woofers and 1.5cm tweeters ●Output Power: 40W (20W + 20W) PMPO D: 620(W) x 178(H) x 183(D)mm W: 5.3kg with batteries



### RC-W40U 4-Band (FM/AM/SW1/SW2) Compact Stereo Radio Double-Cassette Recorder

●Synchro Start high-speed dubbing ●One-touch recording ●ALC with variable monitor ●10cm full-range speakers ●Auto-stop ●Output Power: 20W (10W + 10W) PMPO D: 514(W) x 166(H) x 136(D)mm W: 3.3kg with batteries



### RC-30W 3-Band (FM/AM/SW) Compact Stereo Radio Cassette Recorder

●Auto-stop ●Metal tape compatible ●Variable monitoring ●Tone control ●Gear/oil-damped cassette door ●Pair of 9cm full-range speakers ●Output Power: 6.2W (3.1W + 3.1W) PMPO D: 355(W) x 162(H) x 80(D)mm W: 2.1kg with batteries




### RC-20U 4-Band (FM/AM/SW1/SW2) Compact Stereo Radio Cassette Recorder

●Auto-stop mechanism ●One touch recording ●ALC with variable monitor ●10cm full-range speakers ●Output Power: 10W (5W + 5W) PMPO D: 438(W) x 153(H) x 124(D)mm W: 2.6kg with batteries



### RC-680U 4-Band (FM/AM/SW1/SW2) Stereo Radio Cassette Recorder

●5-band S.E.A. graphic equalizer ●2-way, 4-speaker system: 12cm x 2, 2cm x 2 ●Beat cut switch ●ALC with variable monitor ●Auto-stop ●Built-in microphone ●Output Power: 40W (20W + 20W) PMPO D: 535(W) x 290(H) x 151(D)mm W: 4.8kg with batteries



### RC-S120U 3-Band (FM/AM/SW) Compact Radio Cassette Recorder

●Auto-stop ●One-touch recording ●Beat cut switch ●ALC and variable monitoring ●3-way power system ●Built-in electret condenser microphone ●Output Power: 2.5W PMPO D: 270(W) x 110(H) x 72(D)mm W: 940g with batteries



### CX-F5K FM/AM Headphone Stereo

●Silent full-logic mechanism ●U-Turn auto-reverse ●Dolby NR ●Metal tape compatible ●Output Power: 10mW (5mW + 5mW) D: 115(F5K)/114.3(5K)mm W: 79.5(H) x 23.1(D)mm W: 185g (F5K)/173g (5K) w/o batteries



### K-99K Double-Cassette and 8-Track Stereo Karaoke

●2 cassette transports with recording and dubbing capabilities ●9-programme Music Scan ●2-way, 4-speaker ●Output Power: 76W (38W + 38W) PMPO D: Main: 529(W) x 633(H) x 300(D)mm/Speaker: 521(W) x 396(H) x 300(D)mm W: Main: 19kg/Speaker: 10kg



### K-66E Double-Cassette Karaoke

●9-programme Music Scan (Deck A) ●BBD (Bucker Brigade Device) echo effect with level control ●Tape speed control (Deck A) ●Multi-sound tape play (Rehearsal tape play) ●25cm woofer and 6.5cm tweeter ●Output Power: 49W Max. D: 492(W) x 777(H) x 290(D)mm W: 17kg

The colour in a circle indicates that the model is also available in such coloured finish.

Note: It may be unlawful to record and play back copyrighted material without the consent of the copyright owner.

# CAR AUDIO



### KS-RX710J☆ Cassette Car Receiver

●Max. output power: 2 x 25W D (chassis): 200(W) x 76.5(H) x 129(D)mm



### KS-RX705J☆ Cassette Car Receiver

●Max. output power: 2 x 22W D (chassis): 178(W) x 50(H) x 145(D)mm



### KS-RX605J☆ Cassette Car Receiver

●Max. output power: 2 x 22W D (chassis): 182(W) x 52(H) x 152(D)mm



### KS-RX305J☆ Cassette Car Receiver

●Max. output power: 2 x 22W D (chassis): 178(W) x 50(H) x 130(D)mm



### KS-R22J Cassette Car Receiver

●Max. output power: 2 x 8W D (chassis): 178(W) x 50(H) x 130(D)mm



### KS-R12J Cassette Car Receiver

●Max. output power: 2 x 8W D (chassis): 178(W) x 50(H) x 130(D)mm




### KS-R770U Cassette Car Receiver

●Max. output power: 2 x 22W D (chassis): 178(W) x 50(H) x 150(D)mm



### KS-R360E☆ Cassette Car Receiver

●Max. output power: 2 x 22W D (chassis): 178(W) x 50(H) x 145(D)mm



### KS-R330U Cassette Car Receiver

●Max. output power: 2 x 22W D (chassis): 178(W) x 50(H) x 150(D)mm



### KS-R310E Cassette Car Receiver

●Max. output power: 2 x 22W D (chassis): 178(W) x 50(H) x 145(D)mm



### KS-R05U Cassette Car Receiver

●Max. output power: 2 x 8W D (chassis): 160(W) x 44(H) x 120(D)mm



### KS-C200U Cassette Car Deck/Tuner

●12-station preset ●5-band S.E.A. D (chassis): 178(W) x 50(H) x 120(D)mm



### KS-A200U Stereo Power Amplifier

●Max. output power: 2 x 100W D (chassis): 230(W) x 75(H) x 200(D)mm




### KS-A51J Stereo Power Amplifier

●Max. output power: 2 x 25W D (chassis): 150(W) x 30(H) x 80(D)mm



### KS-EA51J S.E.A. Graphic Equalizer/Amplifier

●Max. output power: 2 x 25W D (chassis): 150(W) x 30(H) x 150(D)mm



### KS-E7U S.E.A. Graphic Equalizer

●7-band S.E.A. ●Built-in BBD D (chassis): 150(W) x 30(H) x 150(D)mm



### KS-E8J S.E.A. Graphic Equalizer


●7-band S.E.A. ●Built-in BBD D (chassis): 150(W) x 30(H) x 150(D)mm



### KS-E6J S.E.A. Graphic Equalizer

●7-band S.E.A. ●S.E.A. defeat D (chassis): 102(W) x 44(H) x 102(D)mm

☆ CD ready model



### CS-100KA Panel-Type, 2-Way, 2-Speaker System

●Max. music power: 150W ●Flat frequency response from 30 to 20,000Hz ●Woofer and tweeter separable ●Ceramic Olefin cone woofer diaphragm D: 244(W) x 154(H) x 43(D)mm



### CS-80K Panel-Type, 2-Way, 2-Speaker System

●Max. music power: 150W ●Flat frequency response from 30 to 20,000Hz ●Ceramic Olefin cone woofer diaphragm D: 256(W) x 167.5(H) x 46(D)mm



### CS-6943 15 x 23cm Four-Way Coaxial Speakers

●Max. music power: 150W ●Flat frequency response from 30 to 25,000Hz ●New Ceramic Olefin cone woofer D: 245(W) x 179(H) x 107(D)mm



### CS-6933 15 x 23cm Three-Way Coaxial Speakers

●Max. music power: 135W ●Flat frequency response from 30 to 23,000Hz ●New Ceramic Olefin cone woofer D: 245(W) x 179(H) x 107(D)mm

\*Mounting depth



### CS-6923 15 x 23cm Two-Way Coaxial Speakers



### CS-6921A 15 x 23cm Two-Way Coaxial Speakers



### CS-6913 15 x 23cm Dual-Cone Speakers



### CS-5731 13 x 18cm Three-Way Coaxial Speakers



### CS-633 16cm Three-Way Coaxial Speakers



### CS-5721A 13 x 18cm Two-Way Coaxial Speakers



### CS-623 16cm Two-Way Coaxial Speakers



### CS-622 16cm Two-Way Coaxial Speakers



### CS-613 16cm Dual-Cone Speakers



### CS-612 16cm Dual-Cone Speakers



### CS-433 10cm Three-Way Coaxial Speakers



### CS-422 10cm Two-Way Coaxial Speakers



### CS-423 10cm Two-Way Coaxial Speakers



### CS-412 10cm Dual-Cone Speakers



### CS-413 10cm Dual-Cone Speakers



### CS-4120A 8.4 x 24cm Two-Way Coaxial Speakers



### CS-6931A 15 x 23cm Three-Way Coaxial Speakers



### CS-300A 8.5cm Dual-Cone Speakers



# COLOUR TELEVISIONS

## COLOUR TELEVISIONS



### AV-26ME

#### 26-Inch 7-System Colour TV

●Worldwide compatibility: PAL (B/G and D/K1), SECAM (B/G and D/K1) and NTSC ●Video input/output terminals and a 5-pin DIN audio input/output socket ●On-screen display ●Full-function wireless remote control ●Sleep timer ●Earphone jack D: 660(W) × 614(H) × 535(D)mm W: 41.7kg



### AV-20ME/GB(E)

#### 20-Inch 9-System Stereo-Capable Colour TV

●Worldwide compatibility: PAL (B/G and D), PAL I (AV-20GB), SECAM (B/G and D) and NTSC ●Three sets of audio/video input terminals ●31-function wireless remote control unit ●On screen display ●Stereo-capable with left and right speakers ●Automatic voltage switching between 100 and 260 V (ME), 120 and 240V (GB), 50/60 Hz ●Electronic Eye D: 522(W) × 483(H) × 488(D)mm W: ME: 25.8kg, GB: 27kg



### C-2155EM

#### 21-Inch 7-System Colour TV

●Multi-system compatibility: PAL, SECAM, NTSC 3.58 MHz and NTSC 4.43 MHz ●Audio/video input and output terminals ●Full-function remote control with TV/Video select buttons ●On-screen display ●Sleep timer ●Auto voltage switching between 105 and 260 V AC, 50/60 Hz D: 531(W) × 516(H) × 498(D)mm W: 27kg



### C-210ME/EA

#### BX-Series 21-Inch Colour TV

●ME: 7-system compatibility (PAL B/G, PAL D, SECAM B/G, SECAM D, K, K1, NTSC M, NTSC 3.58MHz and NTSC 4.43MHz) EA: PAL B/G ●Full-function wireless remote control for both TV and VTR ●30-channel voltage synthesizer tuner ●21-pin Peritelevision socket (Euroconnector) ●Automatic voltage switching between 90 and 260V AC, 50/60Hz



### C-210PF

#### BX-Series 21-Inch Colour TV


●Multi-system compatibility: PAL B/G, PAL I, SECAM B/G and SECAM L (French SECAM) ●Full-function wireless remote control for both TV and VTR ●30-channel voltage synthesizer tuner ●21-pin Peritelevision socket (Euroconnector) ●Automatic voltage switching between 220 and 240V AC, 50/60Hz



### 7755ME/GB

#### 20-Inch 7-System Colour TV


●Multi-system compatibility: PAL, PAL I (GB), SECAM, NTSC 3.58 MHz and NTSC 4.43 MHz ●Newly-designed chassis ●Full-function remote control can be housed in the front panel slot for front panel operations ●Auto voltage switching between 100 and 260 V (ME), 120—240 V (GB), 50/60 Hz D: 514(W) × 498.5(H) × 489(D)mm W: 21.7kg



### 7255ME

#### 14-Inch 7-System Colour TV


●Multi-system compatibility: PAL, SECAM, NTSC 3.58 MHz and NTSC 4.43 MHz ●Remote control with video channel (AV) button ●On-screen display ●Sleep timer ●4 cabinet colours available (Silver/Ivory/Red/Yellow) ●Automatic voltage switching between 100 and 260 V, 50/60Hz D: 400 (W) × 370(H) × 372(D)mm W: 10.3kg



### C-140ME/EA

#### 14-Inch Colour TV

●ME: 7-system compatibility (PAL B/G, D; SECAM B/G, D, K, K1; NTSC M, NTSC 3.58/5.5MHz, NTSC 4.43/5.5MHz) EA: PAL B/G ●Full-function wireless remote control ●30-channel presettable voltage tuner ●Built-in timer for automatic TV switch-on/off ●Automatic voltage switching: 90—260 V AC, 50/60Hz D: 370(W) × 342(H) × 378(D)mm W: 9.7kg



### C-141PF

#### BX Series 14-Inch Colour TV


●Multi-system compatibility: PAL B/G, I; SECAM B/G, L (French SECAM) ●Full-function wireless remote control ●30-channel voltage synthesizer tuner ●21-pin Peritelevision (SCART) socket (Euroconnector) ●Programmable timer for automatic TV switch-on/off ●Automatic voltage switching: 220—240 V AC, 50/60Hz D: 370 (W) × 342(H) × 378(D)mm W: 9.7kg



### CX-60ME

#### 6-Inch Portable Colour TV/Monitor

●Receives VHF and UHF channels ●Video and audio input/output terminals ●3-way power supply: AC, rechargeable battery pack (optional CB-60E) and car adapter (optional AP 23) ●8cm round speaker with audio output of 0.6W ●Rod aerial for VHF/UHF D: 177(W) × 130(H) × 274(D)mm W: 2.5kg



### TM-20PSN

#### 20-Inch Colour Stereo Video Monitor

●Multi-system capability: PAL, SECAM, NTSC 3.58 MHz and NTSC 4.43 MHz ●Two audio/video inputs (bridge connection possible) and LINE output ●Left and right speakers ●Disc switch for optimum playback of NTSC and PAL/SECAM VHD video discs ●Skew switch D: 522(W) × 483(H) × 488(D)mm W: 26.1kg



### TM-150PSN

#### 15-Inch Colour Video/RGB Display Monitor

●PAL, SECAM, NTSC (3.58MHz) and NTSC (4.43MHz) switchable ●15 inch full square Data Grade picture tube (2,000 characters can be displayed) ●Audio output: 1.5W ●21-pin Peritelevision socket for RGB (Analogue) and AV ●Connectors for 2 video source components ●8-pin video tape recorder input socket D: 378(W) × 349(H) × 407(D)mm W: 11.7kg



### TM-90PSN

#### 10-Inch Personal Computer Display/Colour Video Monitor

●Automatic and manual switching between PAL, SECAM, NTSC 3.58 MHz and NTSC 4.43 MHz ●Medium-high resolution with fine pitch ●Disc switch ●RGB input socket (TTL) ●Connectors for 2 video sources ●8-pin video tape recorder input socket D: 254(W) × 231(H) × 348(D)mm W: 9.6kg



### TM-22EG/EK

#### 6-Inch Portable Colour Video Monitor

●Flexible AC/DC operation: household AC or exclusive rechargeable Ni Cad battery pack (NB P1) ●Can recharge directly the battery pack ●Built-in 7.7cm speaker ●Dual circuits for audio/video signals ●Audio DIN and video BNC connectors ●PAL/SECAM switchable D: 220(W) × 140(H) × 345(D)mm W: 4.1kg

The colour in a circle indicates that the model is also available in such coloured finish

## VideoMovie

VHS



### GR-C7

#### Fully Automatic VHS Camera-Recorder/Player

AF

HQ

CCD

The GR-C7—The world's smallest and lightest VHS camera-recorder definitely deserves a hand.

When we told our engineers, "Make it lighter, make it smaller and so easy to use that your grandmother can record with it...", we were fairly wowed by what they came up with.

The GR-C7. A complete VHS camera-recorder and player—all-in-one. Not a whole lot bigger than your hand. And weighing only 1.4kg.

A new world record for the lightest, smallest record/play camera-recorder was set. What's more, the GR-C7 VideoMovie was able to shed a few kilograms without dropping a single feature. In fact, a few were added to make it so sophisticated, all you have to do is point and shoot and enjoy great HQ (High Quality) VHS pictures. Right on TV.

●Unique compact size: 1.7kg with tape and battery ●CCD (Charge Coupled Device) pickup: most advanced type for super-resolution images ●HQ (High Quality) System: Superlative VHS pictures ●One-hour recording: quality pictures in LP (Long Play) mode ●Full-auto operation: Image Sensing auto-focus, Auto Colour Tracking white balance, automatic iris control, automatic gain control and automatic backspace editing ●Low-light sensitivity of 15 lux ●6:1 Power Zoom ●A/V and output terminal ●Three-way power supply D: 121(W) × 165(H) × 223(D)mm W: 1.4kg with viewfinder

#### Provided Accessories for GR-C7

\*Also optionally available for additional needs.



## VideoMovie

VHS

## VIDEO CAMERAS



### GR-C2

#### Auto-Focus VideoMovie

●EG: PAL / S; SECAM ●Image-Sensing auto-focus ●Touch focus ●Comprehensive viewfinder indications ●Adjustable electronic viewfinder ●Viewfinder diopter ●Fade to white ●At-a-glance viewfinder on-screen mode check ●Instant viewfinder playback and direct TV connection ●High-capacity one hour battery pack (optional) ●Connectable to a VCR with a 10-pin camera connector (with optional cable) ●Low-light sensitivity of 15 lux D: 134(W) × 151(H) × 340(D)mm incl. viewfinder, lens hood and NB P6U battery pack W: EG: 2.1kg/S: 2.2kg with viewfinder



### GX-N7E/S

#### Fully Automatic Ultra-Compact Lolux Colour Video Camera

●E: PAL / S; SECAM ●10-lux low-light sensitivity with a 1/2" Newicon pickup tube and IC intensive New Step Energy colour demodulation circuitry ●Quick-response TTL (through-the-lens) infrared auto-focus system ●Lens exchange capability ●Auto Colour tracking (ACT) D: 90(W) × 213.5(H) × 275(D)mm W: 1.1kg



### GX-N8E/S

#### One-Button Full-Auto Compact Lolux Colour Video Camera

●E: PAL / S; SECAM ●10-lux (1 fc) low-light sensitivity with 1/2" Newicon tube and New Step Energy colour demodulation circuitry ●Auto-focus, automatic colour balancing and automatic iris ●Instant auto-focus from manual override D: 89(W) × 126.5(H) × 248(D)mm W: 1.0kg



### GX-N70E/S

#### Ultra-Low-Light Colour Video Camera with 8X Auto-Focus Zoom Lens

●E: PAL / S; SECAM ●Low-light sensitivity of 10 lux ●Newicon pickup tube ●Infrared auto-focus system ●Title, date and lap time recording ●8 titling "pages" ●f/1.4, 8X, 2-speed power zoom lens with macro ●White balance control D: 264(W) × 394(H) × 481(D)mm W: 2.6kg



# VIDEOMOVIE ACCESSORIES

# VIDEO CAMERA ACCESSORIES

## Optional Accessories for GR-C7



## Provided Accessories for GR-C2



## Optional Accessories for GR-C2



## For GX-N7/8/70



## For GX-N7/GX-N8



## For GX-N70



\*Also optionally available for additional needs.

## HR-S10/TU-S10 ACCESSORIES




## MIXING CONSOLE



**MI-5000 6-In/2-Out Mixing Console**  
●Inputs for 6 microphones, 2 phono (one stereo turntable), 10 lines and 2 tape lines ●Outputs for 2 recorders and 2 monitors D: 482(W) × 127(H) × 347 (D)mm with stands and controls W: 5.5kg

## VIDEO PROCESSORS



**JX-E3**  
Video Enhancer




**JX-V5**  
Video & Audio Selector

●Detail enhancement circuit ●Advanced double-delay-line circuitry ●User controllable video noise suppressor ●Two complete sets of switchable video/ stereo-audio inputs and two video/stereo-audio outputs D: 217(W) × 56(H) × 274 (D)mm W: 1.9kg

●Four sets of line input/output terminals and one set of monitor out terminals ●Monitoring and dubbing modes selected by the operation of front panel buttons ●Video amplifiers with a wide dynamic range ●Two AC outlets (unswitched) D: 435(W) × 56(H) × 263(D)mm W: 2.6kg

## AUDIO RACKS



★ Shelfboards height-adjustable.

# VIDEO CASSETTES DYNAREC



**PRO**  
●For professional use ●Newly-developed MBF emulsion ●NBSR base film ●Titanium oxide particles for high durability ●Ultra-fine acicular particles BET-valued at 45m<sup>2</sup>/g  
**E-180PRO/E-120PRO/E-60PRO/E-30PRO**

**Super Hi-Fi**  
●Studio-Use Master Tape ●Titanium oxide for high durability ●Super-resolution magnetic particles BET-valued at 35m<sup>2</sup>/g ●NBSR base film  
**E-180SHF/E-120SHF**

**TCL-2/TCC-2**  
VHS Head Cleaning Cassettes

**Super HG**  
●High Output Library Master Tape ●Super-resolution magnetic particles BET-valued at 35m<sup>2</sup>/g ●NBSR base film  
**E-240SHG/E-180SHG/E-120SHG/E-60SHG/E-30SHG**

**HG Hi-Fi**  
●Collection Master Tape ●A new magnetic coating with particles BET-valued at 30m<sup>2</sup>/g and titanium oxide particles  
**E-180HG/E-120HG**

**HR**  
●High Resolution magnetic coating with fine magnetic particles ●Highly-durable SS base film  
**E-240HR/E-180HR/E-120HR/E-60HR/E-30HR**

**EC-30SHG**  
Super HG Compact Video Cassette

**EC-30HG**  
HG Compact Video Cassette

**EC-30 SHG × 3 Triple-Pack**  
(Provides 90 minutes of recording time in a single package for convenient storage in a standard cassette rack.)  
●Active shooting with VHS VideoMovie ●Dynamic playback with any VHS equipment ●Easy editing with VHS recorders

# AUDIO CASSETTES DYNAREC

**ME60PII/90PII**  
Metal-Position Audio Cassettes (Type IV)  
EQ: 70μs

**UFI-60/90**  
High-Bias Audio Cassettes (Type II)  
EQ: 70μs

**UFI-60/90**  
Normal-Bias Audio Cassettes (Type I)  
EQ: 120μs

**FI-60/90**  
Normal-Bias Audio Cassettes (Type I)  
EQ: 120μs

(Only type 90 shown.)

# STEREO HEADPHONES



# MICROPHONES



Design and specifications subject to change without notice.

**JVC**  
VICTOR COMPANY OF JAPAN, LIMITED

DISTRIBUTED BY

**JVC JAZZ FESTIVAL**  
NEWPORT

**JVC CAPITAL RADIC JAZZ PARADE**  
LONDON

**JVC NORTH SEA JAZZ FESTIVAL**  
DUNDEE

**JVC GRANDE POIRCE JAZZ FETE**

**Official Hi-Fi & Video of the Top FIFA & UEFA Football Competitions 1982-1986**

JVC presents the best of international jazz festivals.

Printed in Japan  
ECK-6021





**JVC - For All Your Audio,  
Video and Computer,  
Hardware and Software**